SCANGRIP®
LIGHTING

INNOVATION FROM DENMARK

2015



Pricelist

LINE LIGHT - INSPECTION HAND LAMPS			8 708869 268	Main light / Spotlight: LED	Lux@0.5m	Lumen	Beam angle	Operating time	CCT Kelvin	CRI	IK	Battery	Charging time	Operating voltage	IP	Temperature	Measurements	Weight	€	DKK	
EU DESIGN PATENT 1882523	**LINE LIGHT R** Rechargeable inspection hand lamp in base. With top light incl. clip holder with hook and magnet	03.5237	5708997352373	36 X SMD LED / 1 X CREE XP-G2	600/800 lux	220/80 lumen	75° /50°	4h/6h	6000K	Ra > 80	IK07	7.4V 1400 mAh Li-ion	4h	Charger input: 100-240V AC 50/60Hz Output 10V DC/ 0,5A	IP54	-10° to +40°C	ø25x488mm	270 g	99.90	699,90	1
EU DESIGN PATENT 1882523 A++ DUAL 2 in 1 SYSTEM	**LINE LIGHT C+R** Inspection hand lamp with DUAL SYSTEM and top light. Incl. clip holder with hook and magnet	03.5238	5708997352380	36 X SMD LED / 1 X CREE XP-G2	600/800 lux	220/80 lumen	75° /50°	4h/6h	6000K	Ra > 80	IK07	7,4V 1400mAh Li-ion	4 h	5 m cable (2 X 1mm² H05RN-F) Charger input: 100-240V AC 50/60Hz Output: 8,4V DC/ 750mA	IP54	-10° to +40°C	ø25x488mm	270 g	99,90	699,90	1



LINE LIGHT - BONNET LIGHT		8 708869 268	LED	Lux@0.5m	Lumen	Beam angle	Operating time	CCT Kelvin	CRI	IK	Battery	Charging time	Operating voltage	IP	Temperature	Measurements	Weight	€	DKK	
EU DESIGN PATENT 1882523 A  DUAL 2 in 1 SYSTEM	**LINE LIGHT** **Bonnet light C+R** Bonnet light with DUAL SYSTEM incl. telescopic holder and cable	03.5206	5708997352069	120 X SMD LED	900 lux	700 lumen	75°	1h	6000K	Ra > 80	IK07	7,4V 1400mAh Li-ion	4 h	5 m cable (2 X 1mm² H05RN-F) Charger input: 100-240V AC 50/60Hz Output: 8,4V DC/ 1400mA	IP54	-10° to +40°C	ø25x1042 mm	490 g	169.90	999,90	1



LINE LIGHT
For automotive lifts and / or universal application

			8 708869 268	LED	Lux@0.5m	Lumen	CCT Kelvin	CRI	IK	Beam angle	Operating voltage	IP	Temperature	Measurements	Weight	€	DKK	
EU DESIGN PATENT 1882523 A+	**LINE LIGHT 1** Complete lighting unit incl. 20W power supply unit and suspensions	03.5203	5708997352038	216 SMD LED • 18W	1100 lux	1300 lumen	6000K	Ra > 80	IK07	75°	24V DC	IP67	-10 to +40°C	ø25x1630mm	1.5 kg	239.90	1399,90	1
EU DESIGN PATENT 1882523 A+ 	**LINE LIGHT 2** Complete lighting units incl.80W power supply unit and suspensions	03.5202	5708997352021	2 x 156 SMD LED • 2 x 13W	2 x 1100 lux	2 x 900 lumen	6000K	Ra > 80	IK07	75°	24V DC	IP67	-10 to +40°C	2 x ø25x1234mm	2.2 kg	389.90	2299,90	1
EU DESIGN PATENT 1882523 A+	**LINE LIGHT 2-POST** Lighting solution for 2-post lifts and mobile column lifts, with 20W power supply and 8m cable. Incl magnetic flexible suspensions.	03.5225	5708997352250	2 x 96 SMD LED • 2 x8W	2 x 900 lux	2 x 550 lumen	6000K	Ra > 80	IK07	75°	24V DC	IP67	-10 to +40°C	ø25x770mm	3.4 kg	399.90	2799,90	1
EU DESIGN PATENT 1882523 A+ 	**LINE LIGHT 4** Complete lighting units incl. 80W power supply unit, 8m cable and suspensions	03.5201	5708997352014	4 x 216 SMD LED • 4 x 18W	4 x 1100 lux	4 x 1300 lumen	6000K	Ra > 80	IK07	75°	24V DC	IP67	-10 to +40°C	4 x ø25x1630mm	4.65 kg	999.90	5499,90	1
EU DESIGN PATENT 1882523 A+ 	**LINE LIGHT 6** Complete lighting units incl. 2 pcs 80W power supply units, 8m cable and suspensions	03.5200	5708997352007	6 x 216 SMD LED • 6 x 18W	6 x 1100 lux	6 x 1300 lumen	6000K	Ra > 80	IK07	75°	24V DC	IP67	-10 to +40°C	6 x ø25x1630mm	8 kg	1499.90	8499,90	1

LINE LIGHT - DESIGN YOURSELF

Combine LIGHTING UNITS with POWER SUPPLY/CABLE and SUSPENSIONS

				LED	Lux@0.5m	Lumen	CCT Kelvin	CRI	IK	Beam angle	Operating voltage	Outlet	IP	Temperature	Measurements	Weight	€	DKK	
LIGHTING UNITS																			
	LINE LIGHT 75	03.5221	5708997352212	96 SMD LED • 8W	900 lux	550 lumen	6000K	Ra > 80	IK07	75°	24V DC		IP67	-10 to +40°C	ø25x 838mm	500 g	119.90	699,90	1
	LINE LIGHT 120	03.5222	5708997352229	156 SMD LED • 13W	1100 lux	900 lumen	6000K	Ra > 80	IK07	75°	24V DC		IP67	-10 to +40°C	ø25x 1234mm	600 g	199.90	1199,90	1
	LINE LIGHT 160	03.5223	5708997352236	216 SMD LED • 18W	1100 lux	1300 lumen	6000K	Ra > 80	IK07	75°	24V DC		IP67	-10 to +40°C	ø25x 1630mm	700 g	229.90	1299,90	1
	**LINE LIGHT 200**	03.5224	5708997352243	276 SMD LED • 24W	1100 lux	1600 lumen	6000K	Ra > 80	IK07	75°	24V DC		IP67	-10 to +40°C	ø25x 2027mm	800 g	269,90	1499,90	1
POWER SUPPLY/CABLE																			
	20W power supply unit	03.5211	5708997352113								230V AC/50Hz 2m (2x1 mm²H05RN-F) SCHUKO plug	24V DC/20W 5m H03VV-F, 2x0,5mm²)	IP67	-10 to +40°C	180x28x 20mm	700 g	29.90	199,90	1
	80W power supply unit	03.5226	5708997352267								230V AC/50Hz 2m (2x1 mm²H05RN-F) SCHUKO plug	24V DC/80W 5m (H03VV-F, 2x0,5mm²)	IP67	-10 to +40°C	175x68x 43mm	1.3 kg	51.90	309,90	1
	20W PLUG IN power supply	03.5212	5708997352120								100-240V AC 50/60Hz	24V DC/ 800mA 5m (2x1mm² H05RN-F)	IP44	-10 to +40°C	10x70x 44mm	80 g	25.90	154,90	1
	POWER CABLE - 8m	03.5215	5708997352151									8m (2x0,5mm² H05RN-F)			8m	400 g	7.90	44,90	1
SUSPENSIONS																			
	CLIP - 1 pc. - incl. fittings for suspension	03.5214	5708997352144												35x107x 28mm	100 g	6.25	35,90	1
	**MAGNET** - 1 neodymium magnet for clip - ø60mm. Ex. fittings and clip	03.5216	5708997352168												ø60 x 7mm	100 g	21.90	124,90	1
	CLIP WITH HOOK AND MAGNET - Adjustable hook for flexible position	03.5217	5708997352175												45x45x 135mm	42 g	7.90	39,90	1
	**FLEXIBLE ARM WITH SUCTION CUP** - 20 cm flexible arm with clip holder and suction cup	03.5219	5708997352199												ø65x 270mm	87 g	24.90	179,90	1
	FLEXIBLE ARM WITH MAGNET - 20 cm flexible arm with clip holder and neodymium magnet - ø60mm	03.5218	5708997352182												ø60x 281mm	167 g	29.90	199,90	1
	FLEXIBLE MAGNET SUSPENSION - Ball socket joint with strong magnet for suspension for LINE LIGT 2 -POST	03.5257	5708997352571												ø60x 100mm	135 g	39.90	249,90	1
	MAGNET With small clip - ø30mm	03.5246	5708997352465												ø30x 38mm	24 g	14.90	82,90	1
	CLIP Small metal clip	03.5213	5708997352137												10x25x 33mm	10 g	3.90	21,90	1

Item		8 708869 268	LED	Lux@0.5m	Lumen	Operating time	CCT Kelvin	CRI	Impact resistance	Beam angle	Battery	Charging time	Operating voltage / Power consumption	IP	Temperature	Measurements	Weight	€	DKK	
EU DESIGN PATENT 2704684 NEW 	**FLASH PEN R** Rechargeable LED pencil flashlight with focus	03.5120	5708997351208	CREE XP-G2	500-800 lux	100 lumen	2h	6000K	Ra > 70	1m	10° - 70°	3.7V/ 1100 mAh Li-ion	4h	Charger input: 100-240V AC 50/60Hz / Output: 5V DC 1A	IP30	-10°to +40°C	ø18,8x160 mm	145 g	39.90	249,90	50
EU DESIGN PATENT 2704684 NEW	**FLASH 200 R** Rechargeable LED flashlight with focus and belt pouch	03.5126	5708997351260	CREE XP-G2	1000-15000 lux	200 lumen	2h	6000K	Ra > 70	1m	10° - 70°	3.7V/ 2600 mAh Li-ion	6h	Charger input: 100-240V AC 50/60Hz / Output: 5V DC 1A	IP30	-10°to +40°C	ø 38x160 mm	290 g	59.90	399,90	20
EU DESIGN PATENT 2704684 NEW	**FLASH 400 R** Rechargeable LED flashlight with focus and belt pouch	03.5128	5708997351284	CREE XM-L2	1500-25000 lux	400 lumen	2h	6000K	Ra > 65	1m	10° - 70°	3.7V/ 2600 mAh Li-ion	6h	Charger input: 100-240V AC 50/60Hz / Output: 5V DC 1A	IP30	-10°to +40°C	ø42x216 mm	500 g	79.90	499,90	20
	**FLASH PEN** LED pencil flashlight with focus	03.5110	5708997351109	CREE XP-G	300-4000 lux	100 lumen	6h	6000K	Ra > 70	1m	10° - 70°	2xAAA/1.5V Alkaline			IP54	-10°to +40°C	ø16x148 mm	56 g	27.90	159,90	50
	**FLASH 100** LED flashlight with focus and belt pouch	03.5105	5708997351055	CREE XP-G	800-12000 lux	130lumen	7h	6000K	Ra > 70	1m	10° - 70°	3xAAA/1.5V Alkaline			IP54	-10°to +40°C	ø32x111 mm	130 g	34.90	199,90	50
	**FLASH 200** LED flashlight with focus and belt pouch	03.5106	5708997351062	CREE XP-G	800-22000 lux	200 lumen	3h	6000K	Ra > 70	1m	10° - 70°	2xC/1.5 Alkaline			IP54	-10°to +40°C	ø40x165 mm	335 g	54.90	299,90	40
	**FLASH 300** LED flashlight with focus and belt pouch	03.5107	5708997351079	CREE XP-G	1200-35000 lux	300 lumen	9h	6000K	Ra > 70	1m	10° - 70°	3xC/1.5 Alkaline			IP54	-10°to +40°C	ø42x216 mm	446 g	64.90	399,90	20
	FLASH R Rechargeable LED flashlight with focus	03.5114	5708997351147	CREE XP-G2	900-15000/ 1800-30000 lux step 1/ step 2	150 /300 lumen step 1/ step 2	4h/ 2h step 1/ step 2	6000K	Ra > 70	1m	10° - 70°	7.4V/ 1400 mAh Li-ion	4 h	Charger input: 100- 240V AC 50/60Hz Output: 10V DC 0.5A	IP54	-10°to +40°C	300x100x 100 mm	210 g	84.90	649,90	20
	**FLASH MINI** Small LED flash-light in display	03.5102	5708997351024	1 x 0,5W	1000 lux	25 lumen	10h	8000K	Ra >70			3xAAA/1.5V Alkaline			IP54	-10°to +40°C	ø28x93,5 mm	71 g	7.90	69,90	144 • 12 pcs in display

SCANGRIP LIGHTING flashlights are tested according to the ANSI/NEMA FL-1 standard.

Item				Main light / Spotlight: LED	Lux@0.5m	Lumen	Operating time	Battery	CCT Kelvin	CRI	IK	Charging time	Operating voltage	IP	Temperature	Measurements	Weight	€	DKK	
EU DESIGN PATENT 2532929 NEW A+	**STARLINE** Inspection work light	03.5059	5708997350591	9 X SMD LG LED	400 lux	300 lumen			6000K	Ra >80	IK08		5m cable (2x1mm²H02N-F) 230V/50Hz SCHUKO plug 4W	IP40	-10°to +40°C	26x40x 340 mm	650 g	39.90	249,90	20
EU DESIGN PATENT 2635946 NEW Excl. charger	**MAG PEN 2** Rechargeable pencil LED work lamp	03.5108	5708997351086	7xSMD LED/ 1x CREE XP-G2 R5 LED	130/1000 lux	60/50 lumen	2h/2h	3,7 V / 750 mAh Li-ion	6000K	Ra >70		1,5 h	Charger input: 100-240V AC 50/60Hz Output: 5V DC /1A	IP54	-10° to +40°C	ø21x31x 173 mm	105 g	36.90	209,90	24 • 12 pcs in display
EU DESIGN PATENT 2532929	**FLEX 2** Rechargeable LED work light	03.5010	5708997350102	7 X SMD LED / High Power LED	200/600 lux	125/50 lumen	4h/10h	3.7V/ 1300mAh Li-ion	6000K	Ra >80		3,5 h	Charger input: 100-240V AC 50/60Hz Output: 5V DC/1A	IP20	-10° to +40°C	40x50x212 mm	210 g	49.90	329,90	24 • 12 pcs in display
	MAG Rechargeable multipurpose LED work light	03.5004	5708997350041	21 LED/ 5 LED	1000/350 lux	60/ 18 lumen	4h/15h	3.7V/ 1200mAh Li-ion	8000K	Ra >70		4 h	Charger input: 100-240V AC 50/60Hz Output: 5V DC/0.3A	IP20	-10° to +40°C	56x250x 45 mm	350 g	51.90	319,90	12 • 12 pcs in display
	MAG 2 Rechargeable multipurpose LED work light	03.5009	5708997350096	2 x 1WLED/ 5 LED	1500/350 lux	80/18 lumen	5h/24h	3.7V/ 2100mAh Li-ion	8000K	Ra >70		4 h	Charger input: 100-240V AC 50/60Hz Output: 5V DC/0.6A	IP20	-10° to +40°C	56x250x 45 mm	380 g	62.90	359,90	20
	MAG 3 Rechargeable multipurpose SMD LED work light	03.5044	5708997350447	6 x 0.5W SMD LED/ 1X1W LED	400/800 lux	240/60 lumen	3h/8h	3.7V/ 2100 mAh Li-ion	6000K	Ra >70		4 h	Charger input: 100-240V AC 50/60Hz Output: 4.2V DC/1A	IP20	-10° to +40°C	56x250x 45 mm	290 g	72.90	419,90	12 • 12 pcs in display
	SUN Extremely sturdy and rechargeable LED work light	03.5062	5708997350621	6 x 0.5W SMD LED 1X1W LED	350/1500 lux	220 /40 lumen	3h/8h	3.7V/ 2000 mAh Li-ion	6000K	Ra >70		3-4 h	Induction charger 230V AC/50Hz	IP68	-10° to +40°C	ø55x280 mm	680 g	99.90	549,90	10

Item			8 708869 268	Main light / Spotlight: LED	Lux @0.5m	Lumen	Operating time	CCT Kelvin	CRI	IK	Battery	Charging time	Operating voltage / Power consumption	IP	Temperature	Measurements	Weight	€	DKK	
EU DESIGN PATENT 2373282	**UNIFORM** Sturdy rechargeable COB LED work light	03.5070	5708997350706	COB LED	250/450 lux step 1/step 2	100/200 lumen step 1/step 2	6h/3h step 1/ step 2	6000K	Ra > 70		3.7 V/ 2200 mAh Li-ion	4 h	Charger input: 100-240V AC 50/60Hz Output: 5V DC 1 A	IP65	-10°to +40°C	38x190x 63 mm	280 g	84.90	529,90	24 • 12 pcs in display
EU DESIGN PATENT 2373282	**MIDIFORM** Rechargeable COB LED work light with top flashlight	03.5421	5708997354216	COB LED/ High power	100/340 lux	150/75 lumen	3h/3h	6000K	Ra > 80		3,7V / 1600mAh Li-ion	3 h	Charger input: 100- 240V AC 50/60Hz Output: 5V DC 1A	IP20	-10°to +40°C	31x157x 59 mm	160 g	64.90	429,90	24 • 12 pcs in display
EU DESIGN PATENT 2373282	**MINIFORM** Ultra slim pocket sized rechargeable COB LED work light	03.5060	5708997350607	COB LED	130/260 lux step 1/ step 2	55/110 lumen step 1/step 2	5h/2.5h step 1/ step 2	6000K	Ra > 70		3.7 V/ 1000 mAh Li-ion	2.5 h	Charger input: 100-240V AC 50/60Hz Output: 5V DC 1 A	IP20	-10°to +40°C	25x120 59 mm	112 g	54.90	329,90	24 • 12 pcs in display
EU DESIGN PATENT 2373282 Excl. charger	**UNIPEN** Rechargeable pencil work light with COB LED and top flashlight	03.5420	5708997354209	COB LED/ High power	100/340 lux	80/50 lumen	2.5h/2.5h	6000K	Ra > 80		3,7V / 700mAh Li-ion	3 h	Charger input: 100-240V AC 50/60Hz Output: 5V DC 1A	IP20	-10°to +40°C	25x155x 32 mm	100 g	44.90	279,00	24 • 12 pcs in display
EU DESIGN PATENT 2373282	**UV-FORM** Rechargeable COB LED work light with powerful UV top light (395nm)	03.5408	5708997354087	COB LED/ High power UV LED	340 lux/ UV	150 lumen/ UV	3h/3h	6000K	Ra > 80		3.7 V/ 1600 mAh Li-ion	3 h	Charger input: 100- 240V AC 50/60Hz Output: 5V DC 1A	IP20	-10°to +40°C	31x157x 59 mm	160 g	74.90	449,90	24
EU DESIGN PATENT NEW A+	**SUPERFORM** COB LED work light	03.5406	5708997354063	COB LED	700 lux	600 lumen		6000K	Ra > 80	IK 08			5m cable (2x1mm² H05RN-F) SCHUKO plug 100-240V AC 50/60Hz 8W	IP54	-10°to +40°C	290x49x 31mm	680 g	59.90	399,90	20
EU DESIGN PATENT 2635946 NEW	**I-VIEW** Powerful COB LED headlamp with touchless sensor switch on/off	03.5026	5708997350263	2W COB LED	300 /500 lux step 1/ step 2	80/160 lumen step 1/step 2	6h/3h step 1/ step 2	6000K	Ra >80	IK07	1600 mAh li-polymer	4 h	Charger input: 100-240V 50/60Hz Output: 5V DC 1 A	IP65	-10° to +40°C	101x49x 35 mm	120 g	69.90	429,90	40
40m	**SENSOR** LED headlamp with focus and touchless sensor switch on/off	03.5025	5708997350256	1x1W CREE XP-E	500-3000 lux Step 1/ step 2	45/90 lumen step 1/step2	8h/16h step1/ step2	6000K	Ra >70		3xAAA/1.5 V Alkaline			IP54	-10°to +40°C	60x50x 45 mm	120 g	29.90	229,90	50

Item			LED	Lux @0.5m	Lumen	Operating time	CCT Kelvin	CRI	IK	Battery	Charging time	Operating voltage/ Power consumption	IP	Temperature	Measurements	Weight	€	DKK	
NOVA WORKLIGHTS																			
	NOVA 30 Strong 30W COB LED work light	03.5042	5708997350423	30W HIGH CRI COB LED	5000 lux	3300 lumen		6000K	Ra >80	IK07			5m cable (3x1.0mm²H05RN-F) SCHUKO plug 230V/50Hz	IP67	-10° to +40°C	261x274x 76.5 mm	2.8 kg	179.90	1299,90	4
	NOVA 50 Strong 50W COB LED work light	03.5055	5708997350553	50W HIGH CRI COB LED	8000 lux	5000 lumen		6000K	Ra >80	IK07			5m cable (3x1.0mm²H05RN-F) SCHUKO plug 230V/50Hz	IP67	-10° to +40°C	261x274x 76.5 mm	2.8 kg	249.90	1599,90	4
	NOVA 20 C+R Strong 20W COB LED work light with DUAL SYSTEM	03.5056	5708997350560	20W HIGH CRI COB LED	1700/3000 lux step 1/ step 2	800/ 1500 lumen step 1/ step 2	6h/3h step 1/ step 2	6000K	Ra >80	IK07	11.1V/ 4400mAh Li-ion	3 h	5m cable (2x0.75mm²H05RN-F) SCHUKO plug 230V/50Hz Charger, Input voltage: 100-240V AC Output: 12.6V/2200mA	IP67	-10° to +40°C	220x235 75mm	2.14 kg	214.90	1399,90	4
	NOVA 20 C Strong 20W COB LED work light	03.5057	5708997350577	20W HIGH CRI COB LED	4000 lux	2000 lumen		6000K	Ra >80	IK07			5m cable (3x1.0mm²H05RN-F) SCHUKO plug 230V/50Hz	IP67	-10° to +40°C	220x235 75mm	1.9 kg	134.90	849,90	4

For NOVA WORK LIGHTS



- High stability tripod stand excluding bracket
- Adjustable in height from 1 m to 2.40 m
- Easy to use and easy to adjust in height and position
- Dimensions during transportation: ø180mm x 1100mm

For one work light:
NOVA 20 C or NOVA 20 C+R: order bracket no. 03.5081
NOVA 30 or NOVA 50: order bracket no. 03.5074

For two work lights:
NOVA 20 C or NOVA 20 C+R: order 2 pcs of bracket no. 03.5081 and 1 pc of bracket no 03.5076
NOVA 30 or NOVA 50: order 2 pcs of bracket no. 03.5074 and 1 pc of bracket no 03.5076

SCANGRIP LIGHTING tripod stand			Measurements	Weight	€	DKK
	Telescopic tripod, 1-2,4 m excl. bracket	03.5023	5708997350232		4.2 kg	84.90	499,90
	Bracket for 1 NOVA 30 or 50 (Tripod and wall mount)	03.5074	5708997350744	65x25x 244,50mm	375 gr	29.90	169,90
	Bracket for 1 NOVA 20 C or NOVA 20 C+R (Tripod and wall mount)	03.5081	5708997350812	65x25x 225mm	360 gr	29.90	169,90
	Dual bracket	03.5076	5708997350768	50x87 x2630mm	1.4 kg	39.90	229,90

Complete list of accessories, chargers, batteries and replacements parts:

scan QR code - or find it on www.scangrip.com

All prices are gross prices, ex works, VAT exclusive and effective from 1st July 2015. Prices are subject to change without notice. Nor is responsibility assumed for printing errors. Our GENERAL TERMS AND CONDITIONS apply for all business transacted with SCANGRIP. Valid terms and conditions are available for download from our website www.scangrip.com – go directly with the QR code.

Alle Preise sind unverbindliche Preisempfehlungen gültig ab 1. Juli 2015 und verstehen sich ab Werk ohne MwSt. Änderungen und Irrtümer vorbehalten. Bezüglich der Einzelheiten hinsichtlich Zahlung und Lieferung verweisen wir auf unsere AGBs, die von unserer Website www.scangrip.com heruntergeladen werden können. Oder QR-Code aufrufen.

Alle priser er vejledende salgspriser ekskl. moms og ab fabrik og er gældende fra 1. juli 2015. Der tages forbehold for trykfejl og prisændringer. Vi henviser til vores GENERELLE SALGS- OG LEVERINGSBETINGELSER, der gælder for samtlige handelsaftaler indgået med SCANGRIP. Betingelserne er tilgængelige til download fra vores website www.scangrip.com – gå direkte med QR koden.

Since 1906, SCANGRIP has been manufacturing hand tools of very high quality for the industrial and automotive sectors. The product range comprises a series of innovative products, which are known all over the world for design, innovation and considerably user-friendliness. Due to simplification and innovation we create unique tools which make work easier and safer for our customers.

It is SCANGRIP's goal to deliver at any point the best and most innovative range of special tools. Furthermore, SCANGRIP pays attention to developing the design and functionality of the products giving the user the best conditions to perform his daily work fast, safe and efficient.

SCANGRIP is the largest manufacturer of high quality coil spring compressors in Europe, and, recently, we have established ourself as a leading supplier of work lights under the SCANGRIP LIGHTING brand.

SCANGRIP holds a strong position in the Danish market and has a 90% export share. Financially, SCANGRIP is in a very stable and strong position and is triple A rated (AAA = Credit risk zero).

SCANGRIP's products are distributed through a worldwide network of professional tool importers, distributors and wholesale dealers.

SCANGRIP® LIGHTING

INNOVATION FROM DENMARK

4/2015 - 49.0041

SCANGRIP A/S • Rytterhaven 9 • DK-5700 Svendborg • Denmark • Tel. +45 6320 6320 • scangrip@scangrip.com

SCANGRIP.COM